

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Printer specifications	
Print speed A4	<b>C3070:</b> 71 ppm <b>C3080 / P:</b> 81 ppm
Print speed A3	<b>C3070:</b> 39 ppm <b>C3080 / P:</b> 45 ppm
Print speed SRA3	<b>C3070:</b> 36 ppm <b>C3080 / P:</b> 39 ppm
Print speed / hour	<b>C3070</b> A4: 3,823 pph A3: 2,113 pph SRA3: 1,951 pph <b>C3080 / P</b> A4: 4,399 pph A3: 2,439 pph SRA3: 2,058 pph
Print resolution	1,200 x 1,200 dpi x 8 bit; 1,200 x 3,600 dpi equivalent
Gradations	256 gradations

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

### System specifications

Paper weight	62-350 gsm
Duplex unit	Non-stack type; 62-350 gsm
Paper sizes	330 x 487 mm; 330 x 1.300 mm (optional)
Maximum image area	323 x 480 mm 323 x 1,295 mm (Banner)
Maximum paper input capacity	15,390 sheets
Maximum paper output capacity	13,600 sheets
Main unit dimensions (W x D x H)	800 x 903 x 1,076 mm 800 x 903 x 1,041 mm (P-version)
Main unit weight	319 kg 312 kg (AccurioPress C3080P)

### Scanner specifications

Scan speed A4	Up to 240 ipm
Scan resolution	600 x 600 dpi
Scan modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail
Scan formats	PDF, Secured PDF, Compact PDF, TIFF, JPEG, XPS, PDF/A-1a,1b

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Copier specifications	
Gradations	256 gradations
FCOT	Less than 8 sec. (colour A4)
Magnification	25 - 400 % in 0.1 % steps
Multiple copies	1 - 9,999

Accessories	
Original Cover	<b>OC-511</b> Original Cover
Integrated Color Care Unit	<b>IQ-501</b> Automatic colour adjustment Automatic front to back registration Real time colour adjustment on the fly Real time registration adjustment on the fly Hands free printer profiling Colour Validation
Envelope fusing unit	<b>EF-103</b> Dedicated Envelope fuser
Working table	<b>WT-511</b> Working table WT-511 to be placed above LU-202m/XL/XLm
Automatic document feeder	<b>DF-706</b> Dual color scan document feeder

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Accessories	
Large capacity tray	<p style="text-align: right;"><b>LU-202m</b></p> <p>1 magazines air assist feeding <i>Paper capacity:</i> up to 2,500 sheets</p>
	<p style="text-align: right;"><b>LU-202XLm (Banner)</b></p> <p>1 magazines envelope and banner support air assist feeding <i>Paper capacity:</i> up to 2,500 sheets</p>
Multi bypass tray	<p style="text-align: right;"><b>MB-506</b></p> <p>1 magazines Up to 350 gsm <i>Paper capacity:</i> up to 250 sheets</p>
	<p style="text-align: right;"><b>MB-508</b></p> <p>Multi Bypass Tray for PF-707m allows feeding max. 1,300mm banner paper.</p>
Paper feed unit	<p style="text-align: right;"><b>PF-602m</b></p> <p>2 magazines <i>Paper capacity:</i> up to 6000 sheets</p>
	<p style="text-align: right;"><b>PF-707m</b></p> <p>3 magazines; air suction feeding <i>Paper capacity:</i> up to 4,630 sheets</p>

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Accessories	
Heating unit	<p style="text-align: right;"><b>HT-511</b></p> <p>Dehumidifying heater for standard trays</p>
	<p style="text-align: right;"><b>HT-504</b></p> <p>Dehumidifying heater for PF-602m</p>
	<p style="text-align: right;"><b>HT-506</b></p> <p>Dehumidifying heater for PF-710</p>
	<p style="text-align: right;"><b>HT-503</b></p> <p>Dehumidifying heater for LU-202m/XL/XLm</p>
Folding and punching unit	<p style="text-align: right;"><b>FD-503</b></p> <p>Pre-printed sheet insertion (PI), 2 PI trays for 500 sheets each, punching (2 and 4 hole), folding (half-fold, z-fold, gate-fold, letter fold in, letter fold out, double-parallel-fold), sub tray for up to 200 sheets</p>
Relay unit	<p style="text-align: right;"><b>RU-518</b></p> <p>Mechanical decurling Output feedback system for automatic calibration Optional: Humidifier</p>
	<p style="text-align: right;"><b>RU-510</b></p> <p>Sheet reverser; adapts processing speed to 125 ppm</p>

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Accessories	
<b>Multi (GBC) punching unit</b>	<p style="text-align: right;"><b>GP-501</b></p> <p>Multi punching of A4 sheets</p> <p><i>User replaceable die sets for:</i> velo bind, plastic comb, wire bind, colour coil, pro click</p> <p><i>Paper weight:</i> 75 - 216 gsm</p>
<b>Auto ring binder</b>	<p style="text-align: right;"><b>GP-502</b></p> <p>Stacking, punching and binding of books, up to 102 sheets</p> <p>self-adjusting bind elements (one size fits all);</p> <p><i>Paper weight:</i> content 75-120 gsm; cover 163-216 gsm</p>
<b>Booklet making unit</b>	<p style="text-align: right;"><b>SD-506</b></p> <p>Booklet making of up to 50 sheets (200 images),</p> <p>saddle stitching,</p> <p>trimming,</p> <p>output tray for up to 50 booklets,</p> <p>multi letter fold in (up to 5 sheets),</p> <p>multi half fold (up to 5 sheets)</p>
	<p style="text-align: right;"><b>SD-513</b></p> <p>Booklet making of up to 50 sheets (200 pages)</p> <p>Saddle stitching with up to 4 staples with adjustable positions</p> <p>Multi-letter fold-in (up to five sheets)</p> <p>Multi-half-fold (up to five sheets)</p>

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Accessories	
Booklet making unit	<p><b>Watkiss PowerSquare™ 224KR</b></p> <p>Booklet making of up to 56 sheets</p> <p>Saddle stitching with variable staple length</p> <p>1-6 stitches evenly spaced on the spine of the book</p> <p>Front-trimming; optional full bleed trimming available</p> <p>Square folding</p> <p>Offline usage possible</p>
	<p><b>Plockmatic SD-500/SD-350</b></p> <p>Booklet making of up to 200 pages on SD-500 (50 sheets)</p> <p>Optional trim module for a smooth front-edge trim of the booklet</p> <p>Optional square-fold module turns saddle-stitched booklets into professional flat square-folded books</p> <p>Offline use also possible</p>
Creasing unit	<p><b>CR-101</b></p> <p>Creasing unit for SD-513</p>
Slitting unit	<p><b>TU-504</b></p> <p>Trimming unit for SD-513</p>
Spine corner forming unit	<p><b>FD-504</b></p> <p>Spine corner forming unit for SD-513</p>
Stacking unit	<p><b>LS-506</b></p> <p>Up to 5,000 sheets stacking capacity,</p> <p>trolley mounted stacker,</p> <p>auto-shift stacking,</p> <p>sub tray for up to 200 sheets,</p> <p>paper clamp mechanism</p>

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Accessories	
<b>Perfect binding unit</b>	<p>PB-503</p> <p>Hot melt glue binding system</p> <p>Integrated 1-side trimming of cover sheets</p> <p>Books from A5 up to A4+ (307 x 221 mm)</p> <p>Books from 10 sheets up to 30 mm spine width</p> <p>Cover paper tray for up to 1,000 sheets</p> <p>Sub tray for up to 200 sheets</p> <p>Book stacking capacity of up to 3,300 sheets</p> <p>2 stacks</p>
<b>Stapling unit</b>	<p><b>FS-532</b></p> <p>Stapling of up to 100 sheets; two-point and corner stapling; variable staple length (cutting mechanism); output for up to 4,200 sheets (A4); sub tray for up to 200 sheets; auto-shift sorting and grouping</p>
	<p><b>FS-531</b></p> <p>2-point and corner stapling,</p> <p>stapling up to 50 sheets,</p> <p>auto-shift sorting and grouping,</p> <p>output for up to 3,000 sheets,</p> <p>sub tray for up to 100 sheets</p>
<b>Saddle stitching kit</b>	<p><b>SD-510</b></p> <p>Booklet making of up to 20 sheets (80 images)</p> <p>Saddle stitching</p> <p>cover sheets up to 300 gsm</p> <p>output tray for booklets</p> <p>multi-letter fold-in (up to 5 sheets)</p> <p>multi-half-fold (up to 5 sheets)</p>



## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Accessories	
<b>Post inserter</b>	<p style="text-align: right;"><b>PI-502</b></p> <p>Insertion of preprinted sheets; PI trays for 200 sheets each</p>
<b>Punch kit</b>	<p style="text-align: right;"><b>PK-522</b></p> <p>Punching (2 and 4 holes selectable)</p>
<b>Humidifier unit</b>	<p style="text-align: right;"><b>HM-103</b></p> <p>Humidifier unit HM-103</p>
<b>Banner tray</b>	<p style="text-align: right;"><b>MK-740</b></p> <p>Banner Kit for FS-612, FS-531 or RU-518</p>
<b>Open Stacker</b>	<p style="text-align: right;"><b>OT-510</b></p> <p>Output for up to 4,200 sheets (A4)</p> <p>Sub tray for up to 300 sheets</p> <p>Auto-shift sorting and grouping</p> <p>Sub tray for up to 200 sheets</p>
<b>Envelop Kit</b>	<p style="text-align: right;"><b>MK-746</b></p> <p>Envelope Kit for LU-202m/XL/XLm</p>

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Controller specifications	
Type	<b>IC-605 internal Konica Minolta own Controller</b>
CPU	For C3080 / C3080P / C3070 : Intel Core i5 4570S 2.9GHz  For C3070L : Intel Pentium G3420 3.2GHz
RAM	Up to 20GB
HDD	3 TB (standard)  up to 3.5 TB (optional)
Interface	Ethernet (10/100/1000-Base-T)
File formats	PostScript3 (CPSI3020)  PDF Ver.1.7  TIFF Ver.6 compliant  PPML Ver.2.2  PCL5c compatible  PCL XL (PCL6 Ver.3) compatible  APPE Ver.4.2  PDF/VT Ver.2
Client environments	Windows 7, 8.1, 10  Windows Server 2008 (R2), 2012 (R2), 2016 (incl. 64bit version)  MacOSX 10.8-10.12

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Controller specifications	
Type	IC-417 internal EFI Controller
CPU	Intel Celeron G8120 2.7GHz
RAM	2GB high-speed memory
HDD	500 GB
Interface	Ethernet (10/100/1000-Base-T)
File formats	Adobe® PostScript Ver. 3(CPSI3020) Adobe® PDF Ver.1.7 PCL(5,6) emulation
Client environments	Windows® Vista/ 7/ 8.1/ 10 Windows® Server 2008/2012 MacOS 10.8-10.10

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Controller specifications	
Type	IC-313 external EFI Controller
CPU	Intel Core i5 4570S 2.9GHz
RAM	4GB high-speed memory
HDD	1TB
Interface	Ethernet (10/100/1000-Base-T)
File formats	Adobe® PostScript Ver. 3(CPSI3020) Adobe® PDF Ver.1.7 APPE Ver.3.0 PCL(5,6) emulation
Client environments	Windows® Vista/ 7/ 8.1/ 10 Windows® Server 2008/2012 MacOS 10.8-10.10

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

Controller specifications	
Type	IC-314 external Creo Controller
CPU	Intel Core i7-4790S 3.2GHz
RAM	12GB
HDD	3 TB
Interface	Ethernet (10/100/1000-Base-T)
File formats	Adobe® PostScript Ver.3(CPSI3020) Adobe® PDF Ver.1.7 APPE Ver.3.4 PPML Ver.2.2 PPML/VDX Creo VPS Optimized PS Adobe® PDF/VT2
Client environments	Windows® Vista/ 7/ 8.1/ 10 Windows® Server 2008/2012 MacOS 10.8-10.10

All specifications relating to paper capacity refer to A4-size paper of 80 gsm quality.

All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode.

The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations.

Some of the product illustrations contain optional accessories.

Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

Konica Minolta does not warrant that all specifications mentioned will be error-free.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.

All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

## Especificações Técnicas / Technical Specifications

Fabricante	Konica Minolta
Modelo	AccurioPress C3070-C3080-C3080P

