

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Printer specifications | AccurioPress C6100 | AccurioPress C6085 |
|------------------------|------------------------------|------------------------------|
| Print speed A4 | 100 ppm | 85 ppm |
| Print speed A3 | 53 ppm | 46 ppm |
| Print speed SRA3 | 50 ppm | 43 ppm |
| Print speed / hour | A4: 5,455 pph | A4: 4,636 pph |
| | A3: 2,902 pph | A3: 2,520 pph |
| | SRA3: 2,711 pph | SRA3: 2,356 pph |
| Print resolution | 1,200 x 1,200 dpi x 8 bit | 1,200 x 1,200 dpi x 8 bit |
| | 1,200 x 3,600 dpi equivalent | 1,200 x 3,600 dpi equivalent |
| Gradations | 256 gradations | 256 gradations |

| System specifications | AccurioPress C6100 | AccurioPress C6085 |
|----------------------------------|-----------------------------|-----------------------------|
| Paper weight | 52-400 gsm | 52-400 gsm |
| Duplex unit | Non-stack type; 52-400 gsm* | Non-stack type; 52-400 gsm* |
| Paper sizes | 330,2 x 487,7 mm | 330,2 x 487,7 mm |
| Maximum image area | 321 x 480 mm | 321 x 480 mm |
| Maximum paper input capacity | 13,890 sheets | 13,890 sheets |
| Maximum paper output capacity | 13,600 sheets | 13,600 sheets |
| Main unit dimensions (W x D x H) | 950 x 950 x 1,319 mm | 950 x 950 x 1,319 mm |
| Main unit dimensions (W x D x H) | 950 x 950 x 1,319 mm | 950 x 950 x 1,319 mm |
| Main unit weight | 440 kg | 440 kg |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Scanner specifications | AccurioPress C6100 | AccurioPress C6085 |
|------------------------|--|--|
| Scan speed A4 | Up to 240 ipm | Up to 240 ipm |
| Scan resolution | Max.: 600 x 600 dpi | Max.: 600 x 600 dpi |
| Scan modes | TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail | TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail |
| Scan formats | TIFF (single and multi page); PDF | TIFF (single and multi page); PDF |

| Copier specifications | AccurioPress C6100 | AccurioPress C6085 |
|-----------------------|---------------------------|---------------------------|
| Gradations | 256 gradations | 256 gradations |
| Magnification | 25 - 400 % in 0.1 % steps | 25 - 400 % in 0.1 % steps |
| Multiple copies | 1 - 9,999 | 1 - 9,999 |

| Accessories | |
|----------------------------|--|
| Integrated Color Care Unit | IQ-501 |
| | Automatic colour adjustment |
| | Automatic front to back registration |
| | Real time colour adjustment on the fly |
| | Real time registration adjustment on the fly |
| | Hands free printer profiling |
| | Colour Validation |
| Envelope fusing unit | EF-104 |
| | Dedicated Envelope fuser |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Accessories | |
|---------------------------|--|
| Paper feed unit | PF-707m |
| | 3 magazines; |
| | air suction feeding |
| | <i>Paper capacity:</i> up to 4,630 sheets |
| | PF-711 (with ADF) |
| | Document Feeder for scanning and copying |
| | 3 magazines; |
| | <i>Paper capacity:</i> up to 4,630 sheets |
| Heating unit | HT-506 for PF-711/707m |
| Folding and punching unit | FD-503 |
| | Pre-printed sheet insertion (PI), |
| | 2 PI trays for 500 sheets each, |
| | punching (2 and 4 hole), |
| | folding (half-fold, z-fold, gate-fold, |
| | letter fold in, |
| | letter fold out, |
| | double-parallel-fold), |
| | sub tray for up to 200 sheets |
| Relay unit | RU-511 |
| | Mechanical decurling |
| | Output feedback system for automatic calibration |
| | <i>Optional:</i> Humidifier |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Accessories | |
|--|--|
| Multi (GBC) punching unit | GP-501 |
| | Multi punching of A4 sheets |
| | <i>User replaceable die sets for:</i> velo bind, plastic comb, wire bind, colour coil, pro click |
| | Paper weight: 75 - 216 gsm |
| | GBC Punch G2 |
| | Paper weights from 75 gsm to 300 gsm |
| | Punches glossy and coated stocks from A5 to SRA3 |
| | Punches clear covers of up to 7 mil thickness |
| | Supports tab punching |
| | Offers die sets with the most popular professional binding styles |
| Double-punch capability for two-up sheet | |
| Auto ring binder | GP-502 |
| | Stacking, punching and binding of books, up to 102 sheets |
| | self-adjusting bind elements (one size fits all); |
| | <i>paper weight:</i> content 75-120 gsm; cover 163-216 gsm |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Accessories | |
|---|---|
| Booklet making unit | SD-506 |
| | Booklet making of up to 50 sheets (200 images), |
| | saddle stitching, trimming, |
| | output tray for up to 50 booklets, |
| | multi letter fold in (up to 5 sheets), |
| | multi half fold (up to 5 sheets) |
| | SD-513 |
| | Booklet making of up to 50 sheets (200 pages) |
| | Saddle stitching with up to 4 staples with adjustable positions |
| | Multi-letter fold-in (up to five sheets) |
| | Multi-half-fold (up to five sheets) |
| | Watkiss PowerSquare™ 224KR |
| | Booklet making of up to 56 sheets |
| | Saddle stitching with variable staple length |
| | 1-6 stitches evenly spaced on the spine of the book |
| | Front-trimming; optional full bleed trimming available |
| | Square folding |
| | Offline usage possible |
| | Plockmatic SD-500/SD-350 |
| | Booklet making of up to 200 pages on SD-500 (50 sheets) |
| Optional trim module for a smooth front-edge trim of the booklet | |
| Optional square-fold module turns saddle-stitched booklets into professional flat square-folded books | |
| Offline use also possible | |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Accessories | |
|---------------------------|--|
| Creasing unit | CR-101 for SD-513 |
| | Creasing unit for SD-513 |
| Slitting unit | TU-504 for SD-513 |
| | Trimming unit for SD-513 |
| Spine corner forming unit | FD-504 for SD-513 |
| | Spine corner forming unit for SD-513 |
| Stacking unit | LS-506 |
| | Up to 5,000 sheets stacking capacity, |
| | trolley mounted stacker, |
| | auto-shift stacking, |
| | sub tray for up to 200 sheets, |
| | paper clamp mechanism |
| Perfect binding unit | PB-503 |
| | Hot melt glue binding system |
| | Integrated 1-side trimming of cover sheets |
| | Books from A5 up to A4+ (307 x 221 mm) |
| | Books from 10 sheets up to 30 mm spine width |
| | Cover paper tray for up to 1,000 sheets |
| | Sub tray for up to 200 sheets |
| | Book stacking capacity of up to 3,300 sheets |
| | 2 stacks |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Accessories | |
|----------------------------|---|
| Stapling unit | FS-532 |
| | Stapling of up to 100 sheets, |
| | 2-point and corner stapling, |
| | variable staple length (cutting mechanism), |
| | output for up to 4,000 sheets, |
| | sub tray for up to 200 sheets, auto-shift sorting and grouping |
| Saddle stitching kit | Saddle stitching kit SD-510 (for FS-532) |
| | Booklet making of up to 20 sheets (80 images) |
| | Saddle stitching |
| | cover sheets up to 300 gsm |
| | output tray for booklets |
| | multi-letter fold-in (up to 5 sheets) |
| | multi-half-fold (up to 5 sheets) |
| Post inserter | PI-502 (for FS-532) |
| | Insertion of preprinted sheets |
| | PI trays for 200 sheets each |
| Punch kit | PK-522 (for FS-532) |
| | Punching (2 and 4 holes selectable) |
| Humidifier unit | HM-101 |
| Watkiss PowerSquare™ 224KR | Booklet making of up to 56 sheets |
| | Saddle stitching with variable staple length |
| | 1-6 stitches evenly spaced on the spine of the book |
| | Front-trimming; optional full bleed trimming available |
| | Square folding |
| | Offline usage possible |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Accessories | |
|--------------|---|
| Plockmatic | SD-500/SD-350 |
| | Booklet making of up to 200 pages on SD-500 (50 sheets) |
| | Optional trim module for a smooth front-edge trim of the booklet |
| | Optional square-fold module turns saddle-stitched booklets into professional flat square-folded books |
| | Offline use also possible |
| Open Stacker | OT-510 |
| | Output for up to 4,200 sheets (A4) |
| | Sub tray for up to 300 sheets |
| | Auto-shift sorting and grouping |
| | Sub tray for up to 200 sheets |

| Controller specifications | |
|---------------------------|---------------------------------------|
| Type | IC-313 external EFI Controller |
| CPU | Intel Core i5 4570S 2.9GHz |
| RAM | 4GB high-speed memory |
| HDD | 1TB |
| Interface | Ethernet (10/100/1000-Base-T) |
| File formats | Adobe® PostScript Ver. 3(CPSI3020) |
| | Adobe® PDF Ver.1.7 |
| | APPE Ver.3.0 |
| | PCL(5,6) emulation |
| Client environments | Windows® Vista/ 7/ 8.1/ 10 |
| | Windows® Server 2008/2012 |
| | MacOS 10.8-10.10 |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Controller specifications | |
|---------------------------|---|
| Type | IC-315 external EFI Controller |
| CPU | 2x Intel ® Xeon Quad Core 3.5 GHz |
| RAM | 8 GB |
| HDD | 2x 2,000GB + 500 GB |
| Interface | Ethernet (10/100/1000-Base-T) |
| File formats | Adobe® PostScript® Level 1, 2, 3 |
| | Adobe® PDF 1.4, 1.5, 1.6, 1.7 PDF/X-1a, 3 |
| | EPS (option); |
| | TIFF (option); |
| | TIFF/IT (option); |
| | JPEG (option) |
| | PPML; |
| | Creo VPS-compatible |
| | PCL |
| | PCL |
| Client environments | Windows® 10/8/7 |
| | Windows® Server 2016/2012/2008 |
| | Macintosh® OSX (10.3.9 or later) |
| | Intel Macintosh OSX (10.4 or later) |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Controller specifications | |
|----------------------------------|--|
| Type | IC-314 external Creo Controller |
| CPU | Intel Core i7-4790S 3.2GHz |
| RAM | 12GB |
| HDD | 3 TB |
| Interface | Ethernet (10/100/1000-Base-T) |
| File formats | Adobe® PostScript Ver.3(CPSI3020) |
| | Adobe® PDF Ver.1.7 |
| | APPE Ver.3.4 |
| | PPML Ver.2.2 |
| | PPML/VDX |
| | Creo VPS |
| | Optimized PS |
| | Adobe® PDF/VT2 |
| Client environments | Windows® Vista/ 7/ 8.1/ 10 |
| | Windows® Server 2008/2012 |
| | MacOS 10.8-10.10 |

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

| Controller specifications | |
|---------------------------|---|
| Type | IC-604 internal Konica Minolta own Controller |
| CPU | Intel Core i5 4570S 2,9 GHz |
| RAM | 20 GB |
| HDD | 4,000 GB |
| Interface | Ethernet (10/100/1000-Base-T) |
| File formats | PostScript 3, |
| | PDF 1.7 (CPSI 3020), |
| | PDF/VT-2 |
| | PPML 2.2, |
| | APPE 4.2 |
| | PCL 5c/PCL XL |
| Client environments | TIFF (V6 conformity) |
| | Windows 7/8.1/10 |
| | Windows Server 2008/2012/2016 |
| | MAC OS 10.8-10.12 |
| | Linux via PS PPD |

All specifications relating to paper capacity refer to A4-size paper of 80 gsm quality.

All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode.

The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations.

Some of the product illustrations contain optional accessories.

Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

Konica Minolta does not warrant that all specifications mentioned will be error-free.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.

All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Especificações Técnicas / Technical Specifications

| | |
|------------|----------------------------|
| Fabricante | Konica Minolta |
| Modelo | AccurioPress C6100 / C6085 |

